San Joaquin Valley Air Pollution Control District CENTRAL REGION HEARING BOARD MEETING

ACTION SUMMARY MINUTES

Wednesday, August 16, 2023

Meeting held in Central Region Office.

- 1. <u>Call Meeting to Order</u> The Chair, Daniel Hartwig, called the meeting to order at 10:01 a.m.
- <u>Roll Call</u>
 Dr. Lorraine Goodwin Vice Chair/Medical Present
 Mr. Gerry Mulligan Public Present
 Mr. Andrew Robertson Engineer Absent
 Mr. Daniel Hartwig Chair Present
 Mr. David Soldani Attorney Present
- 3. <u>Approval of Consent Calendar (Items 9-10)</u> These items are routine in nature and are usually approved by a single vote. Prior to action by the Hearing Board, the public will be given the opportunity to comment on any consent item.
 - 9. Approve Minutes of July 19, 2023
 - 10. <u>Next Scheduled Meeting</u> The next scheduled meeting is on September 20, 2023

Public Comments: None

Moved:GoodwinSeconded:SoldaniAyes:Hartwig, Soldani, GoodwinAbstain:MulliganNays:None

Motion unanimously carried to approve Consent Calendar Items 9-10

SJVAPCD Central Region Hearing Board Action Summary Minutes August 16, 2023

4. <u>Public Hearing</u>

The Chair swore in all those present to testify for all matters.

	<u>Docket No.</u>	<u>Type</u>	Company Name
A.	C-23-13S	Short	JR Simplot Company PO Box 128 Helm, CA 93627

Petitioner: Rick Mueller

Chris Kalashian presented the staff report.

Before staff presentation, Isela Welz stated for the record after her review, there is no financial disqualifying factors for this petition.

SIMPLOT has requested a short variance from the applicable requirements of District Rules 1080, 2010, 2070, 2201, and 2520, in addition to conditions of the subject permits. The requested short variance period will occur sometime between September 5, 2023, and October 31, 2023, inclusive. If granted, the variance will allow for the operation of the nitric acid plant without a certified CEMS until it can be certified.

Mr. Mulligan asked if Mr. Mueller could explain the 7 day drift. Mr. Mueller stated "it is a requirement of EPA, and we run analyzers for 7 days for 4 different analyzers."

Mr. Soldani asked for clarification that this would be operating with uncertified equipment. Mr. Mueller confirmed this is correct.

Public Comment: None

Moved: Soldani Seconded:Mulligan Ayes: Hartwig, Goodwin, Soldani, Mulligan Nays: None

Motion unanimously carried to approve Docket No. C-23-13S

- 5. <u>Public Comments</u>: None.
- 6. <u>Hearing Board Member Comments</u>: None
- 7. <u>New Business</u>: None.
- 8. <u>Adjournment</u>: The Chair adjourned the meeting at 10:10 a.m.